

HAYER & BOECKER



BUILDING PRODUCTS AND MINERALS

THE ADAMS® TECHNOLOGY WEATHERPROOF. CLEAN. PROFITABLE.



Your blue planet's resources are ideally utilized ...

due to 100%
by use of all material

Your end-users ...

are drawn to
your product

Your dealers and DIY stores ...

benefit from the potential for higher prices,
a higher market share and an improved image

and conserved by simply recycling the packaging
and reusing the material.

The bags are recyclable and new empty bags
can contain up to 50% recycle.

Your employees ...

enjoy increased satisfaction
in a dust-free and healthy work surrounding

Your storage ...

is cost-effective outside
and handling is simplified

Your logistics chain ...

offers clean and safe transport
without expenses due to damage

The ADAMS® Technology –
for our blue planet and a more careful
use of all resources, raw materials and
products. With the possibility to recycle
the consumed packaging as a valuable
material and to reuse it as
a recycle.






TABLE OF CONTENT

Innovative Solutions 6-11



The Game Changer 12-13



The ADAMS® 14-15



From tubular film to the full pallet 16-17



Film Properties 18-19



ADAMS® Advantages 20-21



Which System fits your Business? 22-33



Accessories 34-37



This might also be of interest to you 38-39



One House, three Families 40-41



We are always there for you 42-43



Portrait ATLAS

Atlas is one of Europe's largest manufacturers of chemical products for the building industry. The products are used in constructing and renovating residential buildings, public facilities and industrial premises and aimed at DIY enthusiasts and professionals looking for solutions to major building problems. Today, with almost 30 years of experience in designing, manufacturing and using our products, Atlas can offer construction materials which guarantee the highest quality, durability and safety. Atlas was founded in 1991, when Polish entrepreneurship was in its infancy. The company's growth was rooted in passion, commitment and the belief that it is worth building wisely and responsibly. The company's permanent mission is to offer customers useful products and beneficial technical solutions to allow construction work to run smoothly and easily.



INNOVATIVE SOLUTIONS WITH FUTURE PROSPECTS

“Elegant and clean”

The Atlas Group puts its confidence in the ADAMS®. The Polish market leader has been so impressed by the technology that in the future it wishes to pack all its building products in plastic bags.

How can you know that demand is strong? In Zgierz, it's by the trucks. In an endless column, trucks roll to the plant donning the blue Atlas logo. Soon afterwards they are making their way in the opposite direction. The trucks are loaded with bags of plaster, mortar and other building materials. “We handle 120 large trucks a day,” says Rafal Lisik, Atlas' investment director.

The rise of Atlas is a Polish success story. In a garage in Łódź in 1991, so the legend goes, three young engineers developed novel tile adhesives that stirred the market. Twenty-nine years later, the formerly start-up is the largest manufacturer of building products in Poland. Atlas has a market share of close to thirty percent in the sector of dry adhesives and gypsum products. Its rapid rise was made possible not least by HAVER & BOECKER machines.

Before the Poles went on a shopping spree in the 1990s, they had analyzed the market for packaging technology and tested various machines. “Surely we could have found cheaper packaging machines,” says investment director Lisik. „But for us, it's not just the price that counts, but also the performance and versatility of the machine, which has to be able to fill a variety of bulk materials.” HAVER & BOECKER was clearly ahead of the field.

Over the past two decades the two partners continuously expanded their cooperation. Atlas currently has six large ROTO-PACKER® for traditional valve bags in operation in Poland alone. Moreover, there are three ROTO-PACKER® ADAMS®, and two more ADAMS® systems are currently being installed. “They will help to consolidate our position as the market leader in building material chemicals in Poland and to gain new niches,” says Tomasz Skalski, Vice Chairman of the Board at Atlas. The most important advantage of the special bags of ADAMS®, Skalski says: “No moisture can get in, no dust can get out.”

With ADAMS® unfolds a completely new technology, the building materials are filled into bags made of polyethylene (PE). These PE bags withstand wind and weather - even awkward handling - and look much better than their paper rivals. The Atlas Group's competitors are also noticing this. They are monitoring the decisions of the market leader closely - and see where the trend is going. And it is going in the direction of the ADAMS®.

1,100 bags per hour

The packaging hall in Zgierz, about ten kilometers north of Łódź, is very busy. The plant is the largest factory in the Atlas Group and works at full capacity almost all year round. “The construction season used to last seven months,” says Lisik. “Today the winters are so mild and so we have good work to do as early as February.”



Electric forklifts whiz by carrying pallets, the conveyor belts of the ROTO-PACKER® run at full speed. At the end of the hall, somewhat hidden behind concrete pillars and beams, the ADAMS® is at work, packing fine-grained building products into PE bags. "The machine is controlled by computers and runs fully automatically," says plant operator Dariusz Kazimierzak. His job is to adjust the machine and to constantly monitor it. The printed PE tubular film, wound on a huge reel, is fed into the machine via an ingenious system of cylinders and rollers. It cuts the film to the desired bag length with high precision and thermally welds it at the bottom end. Robot arms transport the empty sacks to four filling stations, which rotate every second. Filling itself takes barely three seconds – the ADAMS® can handle up to 1,100 bags per hour.

The filled bag is immediately sealed and taken away by a conveyor belt. At the end of the belt, a robot grips the bags and neatly stacks them on a pallet. Forklift trucks take the full pallets to the stocking tents, where the forwarders prepare the goods for delivery. From its plant in Zgierz, Atlas supplies hundreds of DIY stores, building material wholesalers and construction companies within a radius of up to 150 kilometers - including the Polish capital Warsaw. Plant manager Kazimierzak has been working on the ADAMS® packer for almost four years. "The machine represents a major technological leap forward," says the 48-year-old. "The air here in production is much cleaner." The finished bag is also clean and looks much better. Kazimierzak is pleased that one of the two new ADAMS® lines will be installed in Zgierz.

"Nobody wants to get his car dirty."

Atlas was the first company in Poland to pack its building materials in PE bags, as early as 2016. At first they had hesitated: ADAMS® technology is a little more expensive to purchase, yet the advantages are

too numerous to pass up. "The bags are waterproof and can be stored on the construction site out in the open - even under extreme weather conditions," says investment director Lisik. Paper sacks, on the other hand, would often tear and get wet. What's more, PE sacks do not tear when dropped. "With PE bags, we can minimize losses during construction, transport and storage," says Lisik.

The environment also benefits from the technology. "The old bags were difficult to recycle, they were usually incinerated," says Lisik. "The PE sacks, on the other hand, can be emptied out completely, and the film stays clean. They can be ground up and used as raw material in the production of the new film". All recycling yards in Poland gladly accept the waste material. Atlas intends to communicate the environmental friendliness of PE packaging more strongly to its customers in the future.

At the time, Atlas even developed its own marketing concept for the market premiere. "Now we offered products of the highest quality, which were packaged in an appropriately elegant and clean way," said Lisik. "Even at first glance we stood out from the competition." The message was received and customers accepted the PE bags immediately. About thirty percent of the customers are DIY stores that sell mainly to DIY enthusiasts. Here packaging plays a fundamental role. "Our customers much prefer to reach for a clean PE bag because they don't want to get their clothes and hands dirty," says Piotr Lipinski, salesman at Castorama DIY store on the outskirts of Łódź. "And nobody wants to get his car dirty."

The paper bags kept the sales staff in the Castorama DIY store on their toes. "Again and again we had to sweep the floor here because the bags were leaking and it got dusty and dirty," said Lipinski. "It was not good for our customers, and not good for our



employees." But cleanliness is not the only important thing. "The PE bags simply look better, they stand out immediately among the mass of grey paper bags," says Lipinski. "The print on the film is clearer and more colorful, and with a better design you can also attract the attention of customers."

Building products? ADAMS®!

However, ADAMS® is not always and everywhere worthwhile. This is not due to polyethylene: the film is similarly expensive as paper. It is because of the quantity. The conventional ROTO-PACKER® RVT in Zgierz fills 3,600 bags per hour via twelve filling tubes. The ROTO-PACKER® ADAMS® can only handle 1,100 bags per hour with four filling spouts.

This is not the only reason why Atlas carefully thinks about what goes into the paper bag and what goes into the PE bag. "We have a very broad portfolio of building products, over 200 different mortar and adhesive mixtures based on gypsum and cement," says Lisik. "By adding chemical ingredients, each material becomes different, it has a different density and grain size. That's why it behaves differently in the machine."

Atlas therefore needs versatile packaging systems. Sometimes the ROTO-PACKER® RVT is just right, sometimes ADAMS® technology is used. On both machines the

operators need to be able to make quick fine adjustments and changeovers to different bag sizes. The package size at Atlas varies greatly: the filled bags weigh between 5 and 25 kilograms. Lisik says: "Only HAVER & BOECKER could meet our expectations."

HAVER & BOECKER may have even exceeded these expectations because step by step Atlas is converting its production to sustainable plastic packaging. Last year the Poles already filled twelve million PE bags, which is around 15 percent of the total production. When the two new ADAMS® lines are up and running, the number of PE bags is expected to rise to 20 million. New, high-quality products such as the tile adhesives of the Geoflex range are now completely packed in film. Lisik says: "In five to ten years, we aim to fill all bulk materials into PE bags with the ADAMS®."

THE GAME CHANGER

»Weatherproof, tear-resistant and attractive to boot: ADAMS® bags are at the front of the store window instead of at the back. That's the difference.



Mark Wehling,
Head of Sales Group Minerals
HAVER & BOECKER



THE ADAMS® WEATHERPROOF. CLEAN. PROFITABLE.

With ADAMS® technology, HAVER & BOECKER has revolutionized the packing market worldwide. The polyethylene bags not only look classy, they are also tear-resistant and weatherproof. In this way, they protect the valuable contents and strengthen the end consumer's trust in the manufacturer and its brands. This also benefits profitability. Less breakage during transport. Because the bags are weatherproof, they can be stored for longer and even outdoors – which saves even more costs. The bags are also easy to empty, re-closeable and completely recyclable. And another significant advantage: the ADAMS® systems avoid dust during filling, which would otherwise contaminate working areas. The bag is formed in the machines from a prefabricated polyethylene tubular film, after which the product is filled and the bag is fully closed. The size of the packaging is variable; anything goes between 5 and 50 kilos. Speed is of the essence.

Originally developed for cement plants, ADAMS® now fills a wide variety of building materials worldwide.



FROM THE TUBULAR FILM TO THE PERFECT PALLET



The tubular film

The polyethylene bags are delivered as film (PE side gusseted tubular film) on rolls, picked up on a carrier and fed manually into the machine.




The printing

The versatile marking systems ensure reliable and positionally accurate printing with your individual marking. We adapt this process step exactly to the speed requirements of the machine. Empty bag printing with laser (CO₂ + fiber laser), thermal transfer or labeler and full bag printing with inkjet are optionally available.



The bag scanner

The optional bag scanner scans the QR code printed on the film to ensure that the machine operator is using the correct bag roll selected for the product to be filled. QR codes can additionally be used for product and bag tracing.



The bag manufacturing: corner welding and bottom seam welding

Due to the diagonal welding of the side gussets, the bag bottoms are optimally formed. Among the advantages of corner welding are improved bag geometry, higher bag strength and very good stackability. This attractive positioning options on pallets, both in terms of storage positioning options on pallets. The machine automatically adjusts to different bag lengths as soon as the corresponding data have been entered. The system variably compensates for the bag lengths. Separated by a knife the bag is open at the top.




The hexagon filling spout

The bag gripper clamps the bag chest tight to the hexagonal filling spout, resulting in a clean filling process.



The filling and bag closure

The combined MEC® control and weighing electronics – a development of HAVER & BOECKER – ensures exact filling quantities. Product compaction inside the bag is a fundamental requirement for achieving a clean and efficient final result. Inner and outer vibration compactors provide the required product compaction. The contents of the bags are efficiently compacted during filling. This reduces costs: compacted bag contents mean less volume and therefore less film.



The full-bag transport

The filled bags are forwarded in an upright position, closed and placed on the conveyor belt.



The quality control

The check-weigher for the „bag-check“ with weight and closure control.




The bag forming section

The belt conveyor consists of various adjustable elements, that ensure proper filling and increase process reliability. By using a pressing belt, the filled and sealed bags are formed precisely and can thus be palletized perfectly.


FILM PROPERTIES




A packaging solution with a considerable range of outstanding and sustainable benefits – currently even with a recycled content of up to 50% through to the use of CO₂ neutral bags.




Seal
Improved sealing seam for highly contaminated weld areas




Tight
Additional longitudinal seam to protect particularly fine powder



Barrier
Enhanced water barrier for particularly hydrophilic goods




Anti-Slip
Additional coating for a highly-effective non-slip surface




Easy Reclose
Allows opened bags to be reclosed



Easy Carry
Integrated carrying handle for convenient transportation




Easy Open
Easy to open without a knife or scissors



Recycled Material
Film with recycled content and recyclable



Green PE
Resin made from sugarcane-based ethanol



Dawngauging
Thinner film overlap for lower packaging costs



THE ADAMS® ADVANTAGES

WEATHERPROOF

Top quality in PE bags

The highest quality right from the beginning – this is what products filled with the ADAMS® technology as well as their packaging offer. Tightly sealed PE bags stand for a long lifetime and a consistently high product quality for powdery products along the entire transport and storage chain. Stored outside or inside.

Thanks to the robust and exceptionally tight PE material, you have the following advantages:

- PE bags offer a high level of UV and aroma protection, and thus the quality of the filled product provides high performance over the long-term.
- Since they are especially durable, PE bags help to prevent customer complaints – and ensure top-product quality.
- Due to the high level of frost and weather resistance offered by PE bags, the packed products are always reliably protected even under harsh outdoor weather conditions and allow your customers to order in large quantities.

CLEAN

Clean and attractively packed

A clean and appealing presentation at point of sale is crucial for a product's success.

The packaging not only protects the product, but it also conveys a message to your customers. On the market it bears your company's image. At building sites, during transportation or storage, on the sales floor, inside or outside – PE bags ensure dust-free surroundings, as well as a clean and attractive presentation along the entire delivery and storage chain. The ADAMS® technology already achieves clean results during the filling process, amongst others due to product compaction within the package.

This allows the following advantages:

- Clean filling coupled with the packaging's tear-resistance assures low dust levels – and thus high protection of your operating personnel.
- During filling, transport or storage, the bags protect the environment from possible pollution from hazardous contents.
- The improved printed, glossy image offers new possibilities for layout and design. The end-buyer always receives an attractive and clean package that contains a long-lasting and premium quality product.

PROFITABLE

Highly economic

PE bags that are handled with the ADAMS® technology can be presented in an appealing manner, and offer a decisive competitive advantage. Enjoy cost savings in storage, transportation, material and staff.

Practically this are your advantages:

- Ultimately the packaging's appearance is decisive when it comes to competitive advantage. A masterful presentation by PE bags in the environment of complimentary products brings with it a sales-boosting value that gets reflected in market share.
- Because products now may be stored outdoors, they are no longer seasonal. Your plant can produce with a constant capacity utilization over the entire year. This secures sales during periods of peak orders, makes production smoother, saves on unnecessary extra work and simplifies planning.
- Already before filling, the empty bags need less space in transport and storage – thus leading to lower costs. Moreover they can be stored outdoors and so reduce the need for roof cover. The employees save time with ordering and the feeding of the filling machines.
- Because of low dust levels during filling there is less wear and tear to the machines and downstream systems. The needed materials for maintenance and repair decrease and machine downtime is reduced. The results: constant production capacity utilization and lower operating costs.



- By using PE bags you can also significantly save on energy and reduce CO₂ emissions.



THE FOUR RIGHT ONES WHICH SYSTEM FITS YOUR BUSINESS?



ROTO-PACKER® 10+
ADAMS® EDITION

The rotating high-performance system with two separate bag manufacturings and 10 filling spouts!


PAGES 24|25



ROTO-PACKER® 10
ADAMS® EDITION

The rotating high-performance system with up to 10 filling spouts achieves maximum performance when filling your powder products into PE bags.


PAGES 26|27



ROTO-PACKER® 4
ADAMS® EDITION

Adapted to your individual performance requirements, this system ensures maximum performance with 4 rotating spouts when filling your powder products into PE bags.

PAGES 28|29



INTEGRA®
ADAMS® EDITION

This extremely space-saving and completely filling system is characterized by rapid, on-site installation and operation start-up when filling your powder products into PE bags.

PAGES 30|31

CHOOSE YOUR FILLING MODULE FOR YOUR RS-SERIES:

The properties of your product determine the filling module. If you are packing fine powders, you'll choose the T-module. The "T" stands for "turbine", which means impeller. The product is transported into the bag by means of a turbine. The T-module is available in vertical and horizontal versions.

If you are packing mixed products that differ in grain size, select the L-module. "L" stands for "air". In this process, the product is conveyed from the pressure chamber into the bag by means of air pressure. The L-module is available in two versions, either with an angled or a fully ventilated base plate in the pressure chamber.

We offer the turbine filling technology and the air filling technology as a ST-module and a SL-module for the use of tubular film.

The two RS-modules are equipped with either a vibrating bottle or a vacuum lance to optimize deaeration during the filling process.

SL-Module (air) Tubular Film



ST-Module (turbine) Tubular Film



TECHNICAL DATA

ROTO-PACKER® 10+ RST/RSL ADAMS® EDITION

The rotating high-performance system with two separate bag manufacturing and 10 filling spouts.



With our sustainability campaign „Planet Blue“, we’re directing our ideas and actions towards a world in balance.

Number of spouts	Performance bags/hr per 25 kg	Performance class	Intuitive operation	Plug & Pack	Product variety	min./max. bag weights
10	up to 2,400	24/7	yes	yes	up to 60 mm grain size	5 - 30 kg
Bag sizes in mm	Range flm thickness	Delivery of tubular film	Sample-bag function	handle punch	Vibrating bottle	Hexagonal dust tight filling spout
width: 210 - 420* length: 350 - 710 550 - 910	100-200 µm	possible option	yes	possible option	yes	yes

* Actual width range depends on bag material and filling spouts.



TECHNICAL DATA

ROTO-PACKER® 10 RST/RSL ADAMS® EDITION


The rotating high-performance system with up to 10 filling spouts achieves maximum performance when filling your powder products into PE packages.



With our sustainability campaign „Planet Blue“, we’re directing our ideas and actions towards a world in balance.

Number of spouts	Performance bags/hr per 25 kg	Performance class	Intuitive operation	Plug & Pack	Product variety	min./max. bag weights
10 blind spouts are possible	up to 1,200	24/7	yes	yes	up to 60 mm grain size	5 - 30 kg
Bag sizes in mm	Range film thickness	Delivery of tubular film	Sample-bag function	handle punch	Vibrating bottle	Hexagonal dust tight filling spout
width: 210 - 420* length: 350 - 710 550 - 910	100-200 µm	possible option	yes	possible option	yes	yes

* Actual width range depends on bag material and filling spouts.



TECHNICAL DATA

ROTO-PACKER® 4 RST/RSL ADAMS® EDITION



With our sustainability campaign „Planet Blue“, we’re directing our ideas and actions towards a world in balance.

Adapted to your individual performance requirements, this system ensures maximum performance with 4 rotating spouts when filling powder-type products into PE bags.

Number of spouts	Performance bags/hr per 25 kg	Performance class	Intuitive operation	Plug & Pack	Product variety	min./max. bag weights
4, blind spouts are possible	up to 1,200	24/7	yes	yes	up to 60 mm grain size	5 - 30 kg
Bag sizes in mm	Range film thickness	Delivery of tubular film	Sample-bag function	handle punch	Vibrating bottle	Hexagonal dust tight filling spout
width: 210 - 420* length: 350 - 710 550 - 910	100-200 µm	possible option	yes	possible option	yes	yes

* Actual width range depends on bag material and filling spouts.








TECHNICAL DATA

INTEGRA® RST/RSL ADAMS® EDITION



With our sustainability campaign „Planet Blue“, we're directing our ideas and actions towards a world in balance.

This extremely space-saving and completely filling system is characterized by rapid, on-site installation and operation start-up for filling powdery products into PE bags. This machine is also available as a mobile system.

 Number of spouts	 Performance bags/hr per 25 kg	 Performance class	 Intuitive operation	 Plug & Pack	 Product variety	 min./max. bag weights
1	up to 300	24/7	yes	yes	up to 60 mm grain size	5 - 30 kg
 Bag sizes in mm	 Range film thickness	 Delivery of tubular film	 Sample-bag function	 handle punch	 Vibrating bottle	 Hexagonal dust tight filling spout
width: 210 - 420* length: 350 - 710 550 - 910	100-200 µm	possible option	yes	possible option	yes / no for free-fall	yes

* Actual width range depends on bag material and filling spouts.



ACCESSORIES

ACCESSORIES

If you want optimum results, you can equip your ADAMS® system with the appropriate additional technology. In interaction, the machine shows its full potential.

<p>QUAT²RO® Monitoring</p>  <p>Intelligent system monitoring</p> <ul style="list-style-type: none"> + Monitor the production of your machines in real time + Recognize wear and tear at an early stage + Increase your efficiency by comparing the machine data + Proactively plan your maintenance based on the machine data + Check machine settings and optimize your planning 	<p>QUAT²RO® Remote Service</p>  <p>Remote support by experienced OEM-experts</p> <ul style="list-style-type: none"> + Enjoy the OEM security that your systems work optimally + Get concrete advice on technical and filling questions + Enjoy knowing there is always someone who can help + Motivate your team and give them safety + Offer your team a perfect support with learning effects + Reduce your downtimes 	<p>QUAT²RO® Analytics</p>  <p>Make the long-term interpretations of your system data usable</p> <ul style="list-style-type: none"> + Convert these insights into profit and optimized operating conditions + Take advantage for predictive maintenance and optimum spare parts stocking + Profit from ideal maintenance work time management + Motivate your team, give them confidence and the perfect support with learning effects + Reduce machine downtime 	<p>QUAT²RO® DPS Data processing system</p>  <p>Software for storage and evaluation of weighing data</p> <ul style="list-style-type: none"> + Informs continuously about product quality + Display can be individually configured + Saves data as proof of your quality controls + Offers export and import of data 	<p>Metal detector</p>  <p>Control instrument for non-metallic bulk materials</p> <ul style="list-style-type: none"> + Finds impurities in the product + Reduces personnel costs in quality inspection + Minimizes disturbances in the filling process + Compact design facilitates integration 	<p>Check weigher</p>  <p>Weighing technology from the company Wipotec</p> <ul style="list-style-type: none"> + Offers automatic weight control/check weighing + Shows adjustable tolerance range + Is the feedback control to the filling spout + Ensures proper filling + Regulates the perfect filling process 	<p>Automatic bag discharge</p>  <p>Control and rejection of defective bags</p> <ul style="list-style-type: none"> + Transports rejects to material return + Provides real-time information on product quality + Can be individually configured + Offers export and import of data 	<p>Pallet press</p>  <p>Module for safe full bag transport</p> <ul style="list-style-type: none"> + For the safe transport, the bag stacks are carefully pressed before stretching
<p>Bag scanner</p>  <p>The bag scanner as a reliable control unit</p> <ul style="list-style-type: none"> + Checking whether it is the correct tubular film for the selected product + Control whether the printing is correct, if a printer or labeler is connected upstream 	<p>Fully automatic reel changer</p>  <p>Film reel changer for highest production output</p> <ul style="list-style-type: none"> + Increased economic efficiency through reduced downtimes + High degree of automation + Product variety + Short set-up times 	<p>Printing systems/Labelers</p>  <p>Position accurate bag printing</p> <p>The following printing options are available:</p> <ul style="list-style-type: none"> + Empty bag printing by laser (CO₂ and fiber laser), inkjet or labeler + Full bag printing by inkjet 	<p>Belt conveyor</p>  <p>Modules for complete full bag transport</p> <ul style="list-style-type: none"> + Various adjustable elements + Guarantees proper filling + Increases process reliability + Optionally completely encapsulated 	<p>Palletizer</p>  <p>Module for automatic full bag transport</p> <ul style="list-style-type: none"> + Fully automatic palletizing of full bags + Adaptable to any packaging capacity + Careful bag handling ensures a stable pallet pattern and safe transport 	<p>Hood and wrap stretchers</p>  <p>Module for safe full bag transport</p> <ul style="list-style-type: none"> + Fully automatic systems for safe transport protection + Stabilization of critical cargo areas 	<p>Pallet loading system</p>  <p>Fully automatic loading</p> <ul style="list-style-type: none"> + Safe and effective: your loading process is not a bottleneck 	<p>HAYER Service Pad</p>  <p>Mobile control device in tablet format</p> <ul style="list-style-type: none"> + Increases ease of use in daily operation + Enables remote control and troubleshooting + Connects quickly with HAYER & BOECKER Remote Service + Integrated camera for photo and video recording

THIS MIGHT ALSO BE OF INTEREST TO YOU



Don Dörner
 Area Sales Manager
 Phone: +49 (0) 2522 30-8564
 E-mail: d.doerner@haverboecker.com



Decisive Basics

Our HAVER & BOECKER Institute is the place where we bring our packing triangle to life. Here we take such a close look at your product so that we can define the ideal machine technology on the basis of the results, and then design the packaging or screening media to fit it precisely.



Bag consulting service

We know your equipment very well and we'll support you in optimizing your bags. We'll advise you on functionality, filling speed, order quantity, valve closure, cleanliness, efficiency, costs and quality.



Consume intelligently

Did you know that some processes spend more money on the annual requirement of consumables, than they spent on the original one-time investment of equipment, which requires them? Consumables are the fuel for your process. You need the right material for peak performance and success. We consult, design and even provide your consumables for every step and phase of your project. Regardless of whether you are commissioning, ramping up or you simply want to optimize your process on an ongoing basis.



Empty-bag collection

The film bags can be emptied of residue and thus are easily recyclable. In theory, this is clear to us and our customers. A look in practise shows that film packaging is definitely collected and disposed of in a targeted manner. The residual waste container is the most expensive disposal. The realization that films are recyclable materials is steadily increasing. It is a pleasure for us, trying to develop a collection-system for you! Let us talk about it!



Bag design

The overall composition of a package, consisting of the brand message, the design and the performance, influences the purchase decision. We show you what really matters.



Starter kits

Are you planning a new packing line? Keep the focus on starting the process with the new technology and on your operational business. We take care of your perfect packaging, from the design of the bag to production.



Identify the root causes

Every good doctor knows: The key to good health is not treating symptoms, but identifying the cause. Your process is no different. Don't spend an endless amount of time and energy fighting the symptoms. Remedy the cause with our help and with smart services, software and analytical devices. Because only healthy processes are really economical.



Uncompromising solutions for your processes

Nothing is more important to your success than your own product and workflow. Therefore, don't compromise when it comes to your packing process: Make sure your systems and equipment are designed to meet the specifications of your products, not the other way around. Rely on a family of specialists to get the job done as profitably as possible.

ONE HOUSE, THREE FAMILIES

May we introduce: High-performance packaging technology from HAVER & BOECKER in Oelde, Westphalia. With our V-Series for valve bags and our S-Series for tubular film performing the whole world of bulk packing.

THE ORIGINAL ROTO-PACKER®

The rotating one. Since 1960, the ROTO-PACKER® has been rotating. Today, it is the best-selling high-performance packaging system in the world. No wonder: After all, we developed it in close cooperation with you, our customers. For a clean, safe and profitable filling process.

THE INTEGRA®

The comfortable one. Here everything is in one machine housing. The latest generation of the packaging system INTEGRA® fills almost any product and runs fully automatically. Plug and Pack! For paper or plastic valve bags, FFS film, pre-made open-mouth bags and mini valve bags.

THE ELEMENTRA®

The variable one. You want a system that adapts to every your needs? The ELEMENTRA® includes a series of components that you can easily replace. A semi-automatic packaging system for big bags and buckets and for paper or plastic valve bags.

ROTO-PACKER®		
		
ROTO-PACKER® 10+ ADAMS® EDITION	ROTO-PACKER® 10 ADAMS® EDITION	ROTO-PACKER® RST / RSL
		
ROTO-PACKER® RVT / RVL SEAL EDITION	ROTO-PACKER® RVT / RVL ADVANCED	RADIMAT®

INTEGRA®			ELEMENTRA®
			
INTEGRA® 1 IST / ISL	INTEGRA® 2 IST / ISL	INTEGRA® ISF	ELEMENTRA® EGF
			
INTEGRA® IVT / IVL	INTEGRA® IVT / IVL SEAL EDITION	ELEMENTRA® EVT	ELEMENTRA® EVT / EVL SEAL EDITION

WE DO WHAT WE KNOW AND WE KNOW WHAT WE DO!

Mastering the interaction within the packaging triangle between product, packaging material and machine technology is the basis of our expertise and the starting point to make your process flow perfectly.



Sustainability for a livable future

Sustainability is a core value for us: We make decisions taking into account long-term consequences for the HAVER & BOECKER family, for the entire universe of our customers and for the well-being of future generations. We follow this fundamental approach and strive with all our technologies to improve living conditions for humanity. That's our mission!



PROCESSING STORAGE MIXING FILLING PACKING PALLETIZING LOADING DIGITALIZATION



PROcheck systematizes all instruments and actions with which you can keep an eye on the efficiency and potential of your processes at all times and optimize your success: **diagnostics, equipment, consumables, original parts, rebuilds & upgrades, services, plants & systems, process engineering.**

With PROcheck, we show you very specifically where and how you can sustainably maximize your productivity and thus your results over the entire life cycle of your plants, systems and machines. So that you'll be also in perfect flow in the future!



PROcheck will help you:

- improving health & safety
- using energy efficiently
- reducing product loss
- saving resources
- improving work processes
- reducing waste
- saving energy
- reducing carbon footprint

HAYER & BOECKER OHG

Carl-Haver-Platz 3 • 59302 Oelde • Germany

Phone: +49 (0) 2522 30-0 • Fax: +49 (0) 2522 30-403

E-mail: haver@haverboecker.com

Internet: www.haverboecker.com

PM 443 E 4224 0423 0.25 Fe

The machines and equipment shown in this brochure as well as the technical parameters represent only examples of customer-specific technical solutions. We reserve the right to make changes at any time without notice! The ® symbol indicates a registered trademark of HAYER & BOECKER OHG in Germany. Some of the trademarks are also registered in other countries.